

## SPECIFIC VEHICLE ALARM FITTING INSTRUCTIONS

**REV. 00** 

X

www.cobra.it

MAKE CITROEN MOD. XSARA PICASSO YEAR.  $03 \rightarrow$  DIESEL

ALARM/SIREN Position the compact alarms and the sirens on the wheel house, passenger's

POSITION side.

CENTRAL UNIT POSITION Position the modular systems and the modules under the dashboard, driver's

side.

**POWER SUPPLY** +30: connect to the 3 mm<sup>2</sup> wire located at the position nr.2, of the 2 way black

connector, coming out of the front part of the BSI operating central.

- 31: connect to the wire at the position nr. 9, of the 16 way black connector,

coming out of the BSI operating central.

IGNITION WIRE +15/54: connect to the YELLOW wire, in the 3 way blue connector, on the

coming out of the ignition key.

**DIRECTION INDICATORS** Connect to the wires at the positions nr.13 and nr.14 of the 16 way black

connector, in the fuse box

**ELECTRIC WINDOWS** Positive control signal

Refer to the fitting diagram nr.175.

CENTRAL DOORS LOCKING "tirette" system

**Negative control** 

Cut the GREEN wire, at the position nr. 27, on the coming out of the 40 way connector with white covering, in the BSI central (in the fuse box) referring to the

fitting diagram nr. 172.

IMMOBILISATION POINT Fuel pump

Cut the VIOLET wire, at the position nr.9, in the 16 way black connector, behind

the left lateral bulkhead, driver's side.

**STARTER +50:** Cut the BLUE wire located in the wiring harness coming out of the

connector of the ignition key.

**BONNET SWITCH** Install an additional switch on the front headlamp support plate, driver's side.

**DOORS SWITCH** Connect to the wire at the position nr. 32 of the green connector, inside the

connection with white covering, in the fuse box.

**Note:** the polarity of the lamp is positive.

**BOOT SWITCH** Connect directly to the negative control signal coming out of the same; as

alternative install an additional push button.



## SPECIFIC VEHICLE ALARM FITTING INSTRUCTIONS


**REV. 00** 

www.cobra.it

## **FITTING DIAGRAM NR.172**

## Diagram to make lock and unlock of the doors on CITROEN XSARA PICASSO year 2003

(For 3100-3900 series antithefts use the VIOLET/WHITE and ORANGE/WHITE wires) (For 7900 serie antithefts use the VIOLET/ORANGE wire)






## SPECIFIC VEHICLE ALARM FITTING INSTRUCTIONS

**REV. 00** 

www.cobra.it

## **FITTING DIAGRAM NR.175**

# Diagram to make the windows locking on **CITROEN XSARA PICASSO** year 2003



Note: This information is not binding, therefore it must be considered only an example for installation purposes that must be executed as per the instructions given on the product installation manual.

cixsp03gbb.doc